Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("6567818").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 14:48
L2	3	("6567818").URPN.	USPAT	OR	ON	2005/04/18 14:52
L5	0	intercept$3 same (remote adj (method or invocation or function)) and transaction with policy	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:54
L6	0	intercept$3 same (remote adj (method or invocation or function)) and transaction same policy	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:54
L7	14	intercept$3 same (remote adj (method or invocation or function))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 15:01
L8	6	intercept$3 same distribut$4 same (method or invocation or function) and transaction with policy	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 15:30
L9	0	corba same inter$position$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 15:57
L10	1327	method with inter$position$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 15:57
L11	104	method with object with inter$position$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 15:57
L12	0	method with object with inter$position$3 same policy	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 15:57
L13	1	method with object with inter$position$3 same transaction	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 15:58
L15	3	method with object with inter$position$3 same distribut$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 15:58

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(propagat$4 or associat$3) with transaction with (skip$4 or bypass$4) with context	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L2	0	client same middle$6 same database same corba same transaction with policy	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L3	0	client same middle$6 same database same corba and transaction with policy with file	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L4	0	descriptor adj file same transaction with policy same corba	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L5	0	control$4 adj object with interposition$3 same corba	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L6	0	control$4 adj object with inter-position$3 same corba	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L7	0	control$4 adj object with inter-position$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L8	3	client same server same database same corba same transaction with policy	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L9	1	control$4 adj object with interposition$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L10	1	"07501163"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L11	2	(greiner with robert).in.	JPO	OR	ON	2005/04/18 14:08
L12	1	JP with "07501163" with W	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L13	1	transaction near (object or context) with (bypass$3 or pass or skip or "without") with (policy or rule)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L14	6	"6633923".URPN.	USPAT	OR	ON	2005/04/18 14:08

L15	8	encore same transaction	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L16	2	("6633923").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 14:08
L17	2	("5430850").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 14:08
L18	2	"20020029239"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L19	2	transaction near (object or context) with (bypass$3 or pass or skip or "without") same (policy or rule)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L20	2	transaction near (object or context) with (middleware or broker or corba or orb) with (policy or rule)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L21	2	transaction near (object or context) with (propagat$4) same (policy or rule)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L22	2	(Runtime adj transaction near management near2 transaction near2 service).ti.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L23	2	("5457797" | "6041365").PN.	USPAT	OR	ON	2005/04/18 14:08
L24	2	("6629152").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 14:08
L25	2	("6269373").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 14:08
L26	2	"20020046304"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L27	2	("6567818").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 14:08

L28	3	receiver adj report same stream same packet same rate	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L29	6	((719/316).CCLS.) and (IIOP adj message)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L30	7	(propagat$4 or associat$3) with transaction with context same intercept$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L31	5	level near abstraction same consumer same provider	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L32	7	"2414"	JPO	OR	ON	2005/04/18 14:08
L33	7	"2414"	JPO	OR	ON	2005/04/18 14:08
L34	6	("6141686" | "6279001" | "6314463" | "6317786" | "6330677" | "6453320").PN.	USPAT	OR	ON	2005/04/18 14:08
L35	7	level near abstraction same (workload or work adj load)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L36	6	("6141686" | "6279001" | "6314463" | "6317786" | "6330677" | "6453320").PN.	USPAT	OR	ON	2005/04/18 14:08
L37	6	"9302414"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L38	11	rtcp adj rr	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L39	7	"1163"	JPO	OR	ON	2005/04/18 14:08
L40	9	transaction with policy same corba	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L41	8	"7501163"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L42	11	interpositioning and transaction	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L43	11	"6330677".URPN.	USPAT	OR	ON	2005/04/18 14:08
L44	11	(papadopoulos).in.	JPO	OR	ON	2005/04/18 14:08
L45	16	transaction with (policy or rule) same corba	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08

L46	22	transaction same (middle-tier or middle adj tier) same message	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L47	27	level near abstraction same (process same report)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L48	31	transaction near (object or context) with (propagat$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L49	34	(propagat$4 or associat$3) with transaction with (skip$4 or bypass$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L50	31	(transaction near (object or context) with (rule or policy or descriptor adj file)) and (((@ad < "20010130") or (@prad < "20010130") or (@rlad < "20010130"))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L51	34	(arvind).in.	JPO	OR	ON	2005/04/18 14:08
L52	39	(processing with system with synchronisation).ti.	JPO	OR	ON	2005/04/18 14:08
L53	45	transaction near (object or context) with (rule or policy or descriptor adj file)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L54	78	corba same intercept$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L55	80	client same middle$6 same database same corba	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L56	77	transaction near integrity and corba	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L57	76	(greiner).in.	JPO	OR	ON	2005/04/18 14:08
L58	297	client same server same database same corba	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L59	387	(719/316).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 14:08
L60	345	(718/101).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 14:08

L61	345	(719/330).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 14:08
L62	388	transaction near integrity	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L63	387	(719/316).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 14:08
L64	792	(719/315).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 14:08
L65	180	719/315	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:08
L66	0	(propagat$4 or associat$3) with transaction with (skip$4 or bypass$4) same intercept$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:10
L68	0	control$4 adj object with inter adj position$3 same corba	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:10
L69	1	object near interposition$3 and transaction	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:10
L70	2	control adj object same interposition$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:11
L71	11	receiver adj report same stream same packet	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:11
L72	21	(nikhil).in.	JPO	OR	ON	2005/04/18 14:11
L73	47	kernel adj mode same user adj mode same server same client	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:11
L74	48	(middleware or broker or orb) with (bypass$3 or pass or skip or "without") with (policy or rule)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:11
L75	69	object near interposition$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:11

L76	306	(propagat$4 or associat$3) with transaction with context	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:11
L77	725	kernel adj mode same user adj mode	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:11
L78	777	level near abstraction same object	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:11

P⌀RTAL

US Patent & Trademark Office

Search: ⦿ The ACM Digital Library   ○ The Guide

"corba interceptor"

THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used **corba interceptor**   Found **8** of **153,034**

Sort results by	relevance ▾	⬥ Save results to a Binder	Try an Advanced Search
Display results	condensed form ▾	▣ Search Tips ☐ Open results in a new window	Try this search in The ACM Guide

Results 1 - 8 of 8

Relevance scale ☐ ▢ ▬ ▨ ▮

1 Communication management experiences in e-commerce: using a multiagent system to provide intermediation service in an e-commerce environment
Francisco Valera, Jorge E. López de Vergara, José I. Moreno, Víctor A. Villagrá, Julio Berrocal
April 2001 **Communications of the ACM**, Volume 44 Issue 4

Full text available: 📄 pdf(175.96 KB)   Additional Information: full citation, references, index terms, review
📄 html(35.17 KB)

2 Parallel and distributed systems and networking: Load balancing for the management of service performance in open service markets: a customer-oriented approach
Dirk Thißen
March 2002 **Proceedings of the 2002 ACM symposium on Applied computing**

Full text available: 📄 pdf(679.31 KB)   Additional Information: full citation, abstract, references, index terms

3 Agents, interactions, mobility and systems: Agent-based mobility add-in feature for Object Transaction Service (OTS)
Hoang Pham Huy, Simone Sedillot
March 2002 **Proceedings of the 2002 ACM symposium on Applied computing**

Full text available: 📄 pdf(730.98 KB)   Additional Information: full citation, abstract, references, index terms

4 Increasing client-side confidence in remote component implementations
Ramesh Jagannathan, Paolo A.G. Sivilotti
September 2001 **ACM SIGSOFT Software Engineering Notes , Proceedings of the 8th European software engineering conference held jointly with 9th ACM SIGSOFT international symposium on Foundations of software engineering**, Volume 26 Issue 5

Full text available: 📄 pdf(229.73 KB)   Additional Information: full citation, abstract, references, citings, index terms

5 Middleware For Building Adaptive Systems Via Configuration
Sanjai Narain, Ravichander Vaidyanathan, Stanley Moyer, William Stephens, Kirthika Parmeswaran, Abdul Rahim Shareef
August 2001 **ACM SIGPLAN Notices**, Volume 36 Issue 8

Full text available: 📄 pdf(257.49 KB)   Additional Information: full citation, abstract, references, index terms

6 R-Rio (poster session): reflective-reconfigurable interconnectable objects
Alexandre Sztajnberg, Orlando Loques
January 2000 **Addendum to the 2000 proceedings of the conference on Object-oriented programming, systems, languages, and applications (Addendum)**

Full text available: 📄 pdf(29.30 KB)   Additional Information: full citation, abstract, references, index terms

7 Intrusion detection for distributed applications
Matthew Stillerman, Carla Marceau, Maureen Stillman

July 1999 **Communications of the ACM,** Volume 42 Issue 7

Full text available: pdf(210.29 KB)   Additional Information: full citation, references, citings, index terms
                     html(34.90 KB)

8 Workshop on compositional software architectures: workshop report

May 1998 **ACM SIGSOFT Software Engineering Notes,** Volume 23 Issue 3

Full text available: pdf(2.91 MB)   Additional Information: full citation, index terms

Results 1 - 8 of 8

CiteSeer Find: | corba interceptor | | Documents | | Citations |

Searching for **PHRASE corba interceptor**.
Restrict to: Header Title Order by: Expected citations Hubs Usage Date Try: Google (CiteSeer) Google (Web)
Yahoo! MSN CSB DBLP
2 documents found. **Order: number of citations.**

State Synchronization and Recovery for Strongly.. - Narasimhan, Moser.. (2001) (Correct) (3 citations)
Mechanisms Recovery Mechanisms Platform **Interceptor Corba** Orb Corba Orb Corba Application Client
www-2.cs.cmu.edu/~priya/dsn2001.pdf

2K: A Distributed OS for the New Millennium - Campbell (1999) (Correct)
to 2K as a reference monitor built around the **CORBA interceptor** [Liu99]The reference monitor intercepts
www.tu-chemnitz.de/informatik/osg/ecoopooosws/ecoop-ooosws99/papers/roy_campbell.ps.gz

Try your query at: Google (CiteSeer)   Google (Web)   Yahoo!   MSN   CSB   DBLP

CiteSeer.IST - Copyright Penn State and NEC

CiteSeer Find: | corba and interceptor and policy | Documents | Citations |

Searching for **corba and interceptor and policy**.
Restrict to: <u>Header</u> <u>Title</u> Order by: <u>Expected citations</u> <u>Hubs</u> <u>Usage</u> <u>Date</u> Try: <u>Google (CiteSeer)</u> <u>Google (Web)</u>
<u>Yahoo!</u> <u>MSN</u> <u>CSB</u> <u>DBLP</u>
15 documents found. **Order: number of citations.**

<u>Secure Virtual Enclaves: Supporting Coalition Use of.. - Shands, Yee, Jacobs.. (2000)</u>   (Correct)   <u>(6 citations)</u>
[12] D. Shands, R. Yee, J. Jacobs, **and** E. J. Sebes. Secure virtual enclaves: Supporting
www.isoc.org/ndss2000/proceedings/024.pdf

One or more of the query terms is very common - only partial results have been returned. Try <u>Google (CiteSeer)</u>.

<u>Design and Implementation of a Flexible Load Balancing.. - Markus Aleksy Axel (2001)</u>   (Correct)   <u>(2 citations)</u>
of a Flexible Load Balancing Service for **CORBA**-based Applications Markus Aleksy, Axel Korthaus,
can be obtained with two techniques: with an **Interceptor** or by using a Servant Locator.
by creating the POA with the IMPLICIT_ACTIVATION **policy**, or by associating a Servant Manager with the
ftp.wifo.uni-mannheim.de/pub/PEOPLE/korthaus/PDPTA2001.pdf

<u>The Design And Implementation Of A Reference Monitor For The 2K.. - Liu (1999)</u>   (Correct)   <u>(2 citations)</u>
.3 2.2 **CORBA** Technology .
.26 4.3 Dynamic Recon gure the Security **Interceptor** .
devius.cs.uiuc.edu/2k/papers/MS-security.ps.gz

<u>Building a Dynamic Interoperable Security Architecture for.. - Campbell (1998)</u>   (Correct)   <u>(1 citation)</u>
policy. Cherubim was implemented by enhancing a **CORBA** compliant Object Request Broker called JacORB
an ACServerInterceptor at the server. This **interceptor** mediates accesses to the components by
eventually providing interoperablity through **policy** mappings across security domains. This report
devius.cs.uiuc.edu/Security/seraphim/Reports/report1.ps

<u>Unknown - For And Java</u>   (Correct)
trademarks of IONA Technologies, Inc. OMG"**CORBA**"and "Object Request Broker" are trademarks or
www.ida.liu.se/~TDDB37/labs/OB-4.1.0.pdf

<u>Realtime CORBA - Alcatel Hewlett-Packard Company</u>   (Correct)
Realtime **CORBA** Alcatel Hewlett-Packard Company Lucent
www.cs.wustl.edu/~schmidt/PDF/RT-ORB-std.pdf

<u>Security Architecture In Gaia - Viswanathan (2001)</u>   (Correct)
. 43 5.4.1 **CORBA Interceptors** .
. 41 5.4 **Interceptors** .
Components .32 4.7.4 Dynamic **Policy** Driven Approach for Method Level Access Control
choices.cs.uiuc.edu/~prashant/thesis.ps

<u>Running Applications in Security Enhanced ANTS - Ed An Ts</u>   (Correct)
NodeOS interface. The NodeOS was converted into a **CORBA** object and accesses monitored transparently
its nameservice name. An Active Capability **Interceptor** is then added to the AC Manager to intercept
of the principal of the capsule from a central **Policy** Administrator. The Active Capability contains the
devius.cs.uiuc.edu/Security/seraphim/Reports/appsrep.ps

<u>A Model for Integrating Security Technologies on.. - Wangham, Lung.. (2001)</u>   (Correct)
An integration of SSL and JacORB, according to the **CORBA** security model -which does not affect the
model, the ORB services are implemented with **interceptors**. An **interceptor** is interposed in the path of
object represents the discretionary authorization **policy** management interface and grants a set of
www.lcmi.ufsc.br/~lau/out/sctf2001.ps.gz

<u>Integrating SSL to the JaCoWeb Security Framework.. - Wangham, Lung.. (2001)</u>   (Correct)
an integration of SSL and JacORB, according to the **CORBA** security model, which does not affect the
model, the ORB services are implemented with **interceptors**. An **interceptor** is interposed in the path of
and operations, along with the lack of a security **policy** enforcement and heterogeneous environments,
www.lcmi.ufsc.br/~lau/out/IM2001.ps.gz

<u>CORBA Security - Andria (1998)</u>   (Correct)
CORBA Security Foteini Andria CSIS August 9, 1998

replacability. The ORB must use speci#ed **interceptor** interfaces in a speci#ed order to call on
It also includes administration of security **policy**, allowing applicattios administrating **policy** to
isse.gmu.edu/~fandria/corbasec.pdf

2K: A Distributed OS for the New Millennium - Campbell (1999) (Correct)
of changing systems. A middleware layer like DCOM, **CORBA**, or Java RMI abstracts the hardware and machine
2K as a reference monitor built around the **CORBA interceptor** [Liu99]The reference monitor intercepts ORB
based on encryption and new security mechanism and **policy** schemes. UNIX-style security is inadequate to
www.tu-chemnitz.de/informatik/osg/ecoopooosws/ecoop-ooosws99/papers/roy_campbell.ps.gz

Object Interconnections - Collocation Optimizations for CORBA - Schmidt, Wang, Vinoski (Correct)
Interconnections Collocation Optimizations for **CORBA** (Column 18) Douglas C. Schmidt and Nanbor Wang
the invoking client) has not been shutdown. 3. **Interceptors** are invoked at the proper interception
by POA Managers and POAs. POA's threading **policy**: To integrate non-thread-safe legacy software
siesta.cs.wustl.edu/~schmidt/C++-report-col18.ps.gz

Reflection in Java, CORBA und JacORB - Brose (Correct)
Reflection in Java, **CORBA** und JacORB Gerald Brose Freie Universitat
of the meta-class model. Additionally, its **interceptor** concept can be classified as a
system level aspects, e.g. for setting a threading **policy** for multi-threaded servers. 3.1 Meta
www.inf.fu-berlin.de/~brose/papers/jit98.ps.gz

Iso/iec Jtc1/sc21/wg7 Reference Model For Open Distributed.. - Project Secretariat (Correct)
Object Request Broker Architecture 54 12.2.1.5. **Corba** Idl 54 12.2.1.6. Event Services 54 12.2.1.7. Name
20 Split **Interceptor** -Administrative
Monitoring 57 13.2.2.6. Defining Management **policy** 57 13.2.2.7. Management structures and
hypatia.dcs.qmw.ac.uk/data/uk/dse.doc.ic.ac.uk/standards/odp/part1.ps.gz

Try your query at: Google (CiteSeer)   Google (Web)   Yahoo!   MSN   CSB   DBLP